

# CLINICAL AND EXPERIMENTAL IMMUNOLOGY

## CONTENTS

### Vol 99 No 1 January 1995

- R. J. RILEY & J. S. LEEDER: *In vitro* analysis of metabolic predisposition to drug hypersensitivity reactions  
 M. REICHLIN: Autoantibodies to the RoRNP particles  
 S. R. ZUHRIE, A. D. B. WEBSTER, R. DAVIES, A. C. M. FAY & T. B. WALLINGTON: A prospective controlled crossover trial of a new heat-treated intravenous immunoglobulin  
 F. PEROSA, R. RIZZI, V. PULPITO & F. DAMMACCO: Soluble CD4 antigen reactivity in intravenous immunoglobulin preparations: is it specific?  
 N. KONDO, K. INOUE, K. KASAHARA, H. KANEKO, T. KAMEYAMA & T. ORII: Failure of IgG production due to a defect in the opening of the chromatin structure of  $\gamma 1$  region in a patient with IgG and IgA deficiency  
 C. BOULANGER, B. CHABOT, H. A. MÉNARD & G. BOIRE: Autoantibodies in human anti-Ro sera specifically recognize deproteinized hY5 Ro RNA  
 M. MONESTIER, K. E. NOVICK, E. T. KARAM, L. CHABANNE, J.-C. MONIER & D. RIGAL: Autoantibodies to histone, DNA and nucleosome antigens in canine systemic lupus erythematosus  
 P. J. MADDISON, L. LEE, M. REICHLIN, A. SINCLAIR, C. WASSON, G. SCHEMMER & M. REICHLIN: Anti-p57: a novel association with neonatal lupus  
 M. H. ZHAO, S. J. JONES & C. M. LOCKWOOD: Bactericidal/permeability-increasing protein (BPI) is an important antigen for anti-neutrophil cytoplasmic autoantibodies (ANCA) in vasculitis  
 A. BUCHT, K. SÖDERSTRÖM, S. ESIN, J. GRUNEWALD, S. HAGELBERG, I. MAGNUSSON, H. WIGZELL, A. GRÖNBERG & R. KIESSLING: Analysis of  $\gamma\delta$  V region usage in normal and diseased human intestinal biopsies and peripheral blood by polymerase chain reaction (PCR) and flow cytometry  
 A. MCL MOWAT & M. B. WIDMER: A role for IL-4 in immunologically mediated enteropathy  
 A. FERGUSON, K. A. HUMPHREYS & N. M. CROFT: Technical Report: results of immunological tests on faecal extracts are likely to be extremely misleading  
 K. KITSUKAWA, A. NAKAMOTO, H. KOITO, Y. MATSUDA, A. SAITO & H. YAMAMOTO: Interferon-gamma (IFN- $\gamma$ ) production by human T lymphocytes upon *Legionella pneumophila* stimulation *in vitro*  
 N. FAZAL, D. A. LAMMAS, M. RAHELU, A. D. PITHIE, J. S. H. GASTON & D. S. KUMARARATNE: Lysis of human macrophages by cytolytic CD4<sup>+</sup> T cells fails to affect survival of intracellular *Mycobacterium bovis*-baccille Calmette-Guérin (BCG)  
 S. DE LA BARRERA, S. FINK, M. FINIASZ, F. MINUCCI, R. VALDEZ, L. M. BALIÑA & M. C. SASIAIN: Lack of cytotoxic activity against *Mycobacterium leprae* 65-kD heat shock protein (hsp) in multibacillary leprosy patients

- M. M. STEVENSON, T. K. KONDRATIEVA, A. S. APT, M. F. TAM & E. SKAMENE: *In vitro* and *in vivo* T cell responses in mice during bronchopulmonary infection with mucoid *Pseudomonas aeruginosa* 98  
 K. MATSUMOTO: IL-8 release from cultured peripheral blood monocytes of patients with glomerulonephritis 106  
 L. VARGA, E. CZINK, Zs. MISZLAI, K. PÁLÓCZI, A. BÁNYAI, G. SZEGEDI & G. FÜST: Low activity of the classical complement pathway predicts short survival of patients with chronic lymphocytic leukaemia 112  
 K. A. DAVIES, A. P. COPE, J. B. SCHOFIELD, C.-Q. CHU, J. C. MASON, T. KRAUSZ, P. SMITH, A. M. DENMAN & M. J. WALPORT: A rare mediastinal tumour presenting with systemic effects due to IL-6 and tumour necrosis factor (TNF) production 117  
 K. OCHIAI, I. IWAMOTO, H. TAKAHASHI, S. YOSHIDA, H. TOMIOKA & S. YOSHIDA: Effect of IL-4 and interferon-gamma (IFN- $\gamma$ ) on IL-3- and IL-5-induced eosinophil differentiation from human cord blood mononuclear cells 124  
 L. A. BOBER, T. A. WATERS, C. C. PUGLIESE-SIVO, L. M. SULLIVAN, S. K. NARULA & M. J. GRACE: IL-4 induces neutrophilic maturation of HL-60 cells and activation of human peripheral blood neutrophils 129  
 J. A. GONZÁLEZ-HERNÁNDEZ, S. R. BORNSTEIN, M. EHRHART-BORNSTEIN, J. E. GSCHWEND, A. GWOSDOW, G. JIRIKOWSKI & W. A. SCHERBAUM: IL-1 is expressed in human adrenal gland *in vivo*. Possible role in a local immune-adrenal axis 137

### Vol 99 No 2 February 1995

- W. G. SIMPSON, S. D. HEYS, P. H. WHITING, O. EREMIN & J. BROOM: Acute phase proteins and recombinant IL-2 therapy: prediction of response and survival in patients with colorectal cancer 143  
 B. H. LEMSTER, P. B. CARROLL, H. R. RILO, N. JOHNSON, A. NIKAEIN & A. W. THOMSON: IL-8/IL-8 receptor expression in psoriasis and the response to systemic tacrolimus (FK506) therapy 148  
 K. J. PARLEVIEU, M. E. D. CHAMULEAU, S.-L. YONG, M. H. M. RAASVELD, I. J. M. TEN BERGE & P. TH. A. SCHELLEKENS: Effects of anti-CD3 monoclonal antibodies on functional activity of lymphocytes: studies *in vivo* and *in vitro* 155  
 S. M. MCHUGH, I. R. RIFKIN, J. DEIGHTON, A. B. WILSON, P. J. LACHMANN, C. M. LOCKWOOD & P. W. EWAN: The immunosuppressive drug thalidomide induces T helper cell type 2 (Th2) and concomitantly inhibits Th1 cytokine production in mitogen- and antigen-stimulated human peripheral blood mononuclear cell cultures 160

R. RAMASAMY, D. A. WIJESUNDERE, K. NAGENDRAN & M. S. RAMASAMY: Antibody and clinical responses in volunteers to immunization with malaria peptide-diphtheria toxoid conjugates	168	R. H. SCOFIELD, W. D. DICKEY, K. L. HARDGRAVE, B. R. NEAS, R. M. HOROWITZ, R. A. MCARTHUR, A. FUJISAKI, M. B. FRANK & J. B. HARLEY: Immunogenetics of epitopes of the carboxyl terminus of the human 60-kD Ro antigen	256
D. CHARGELEGUE, C. M. STANLEY, C. M. O'TOOLE, B. T. COLVIN & M. W. STEWARD: The affinity of IgG antibodies to gag p24 and p17 in HIV-1-infected patients correlates with disease progression	175	M. E. ALARCÓN-RIQUELME & C. FERNÁNDEZ: Expression of the B cell repertoire in <i>lpr</i> mice; abnormal expansion of a few V <sub>H</sub> J558 germ-line genes	262
S. RAMZAOU, F. JOUEN-BEADES, F. MICHOT, F. BORSA-LEBAS, G. HUMBERT & F. TRON: Comparison of activation marker and TCR V $\beta$ gene product expression by CD4 <sup>+</sup> and CD8 <sup>+</sup> T cells in peripheral blood and lymph nodes from HIV-infected patients	182	J. P. CAMILLERI, A. S. WILLIAMS, N. AMOS, A. G. DOUGLAS-JONES, W. G. LOVE & B. D. WILLIAMS: The effect of free and liposome-encapsulated clodronate on the hepatic mononuclear phagocyte system in the rat	269
M.-N. SAARLOOS, T. F. LINT & G. T. SPEAR: Efficacy of HIV-specific and 'antibody-independent' mechanisms for complement activation by HIV-infected cells	189	M. SAKAGUCHI, H. KATO, A. NISHIYORI, K. SAGAWA & K. ITOH: Characterization of CD4 <sup>+</sup> T helper cells in patients with Kawasaki disease (KD): preferential production of tumour necrosis factor- $\alpha$ (TNF- $\alpha$ ) by V $\beta$ 2 <sup>-</sup> or V $\beta$ 8 <sup>-</sup> CD4 <sup>+</sup> T helper cells	276
S. KHANOLKAR-YOUNG, N. RAYMENT, P. M. BRICKELL, D. R. KATZ, S. VINAYAKUMAR, M. J. COLSTON & D. N. J. LOCKWOOD: Tumour necrosis factor- $\alpha$ (TNF- $\alpha$ ) synthesis is associated with the skin and peripheral nerve pathology of leprosy reversal reactions	196	A. MARTÍN, A. MOLINA, T. BRICIO & F. MAMPASO: Passive dual immunization against tumour necrosis factor- $\alpha$ (TNF- $\alpha$ ) and IL-1 $\beta$ maximally ameliorates acute aminonucleoside nephrosis	283
J. D. M. CAMPBELL, S. E. M. HOWIE, K. A. ODLING & E. J. GLASS: <i>Theileria annulata</i> induces aberrant T cell activation <i>in vitro</i> and <i>in vivo</i>	203	F. L. VAN DER HEIJDEN, R. J. J. VAN NEERVEN & M. L. KAPSENBERG: Relationship between facilitated allergen presentation and the presence of allergen-specific IgE in serum of atopic patients	289
V.-A. OXELIUS, A.-M. CARLSSON, L. HAMMARSTRÖM, J. BJÖRKANDER & L. Å. HANSON: Linkage of IgA deficiency to Gm allotypes; the influence of Gm allotypes on IgA-IgG subclass deficiency	211	G. CARAYANNIOTIS, G. C. HUANG, L. B. NICHOLSON, T. SCOTT, P. ALLAIN, A. M. MCGREGOR & J. P. BANGA: Unaltered thyroid function in mice responding to a highly immunogenic thyrotropin receptor: implications for the establishment of a mouse model for Graves' disease	294
R. WAGNER, G. MORGAN & S. STROBEL: A prospective study of CD45 isoform expression in haemophagocytic lymphohistiocytosis; an abnormal inherited immunophenotype in one family	216	V. A. DAVIS, M. MILLINGTON, V. J. HYLAND & D. GRENNAN: Cytokine production by normal human monocytes: inter-subject variation and relationship to an IL-1 receptor antagonist (IL-1Ra) gene polymorphism	303
L. PRIGENT-DELECOURT, B. COFFIN, J. F. COLOMBEL, J. P. DEHENNIN, J. P. VAERMAN & J. C. RAMBAUD: Secretion of immunoglobulins and plasma proteins from the colonic mucosa: an <i>in vivo</i> study in man	221		
M. J. H. J. PALMEN, L. A. DIELEMAN, M. B. VAN DER ENDE, A. UYTERLINDE, A. S. PEÑA, S. G. M. MEUISEN & E. P. VAN REES: Non-lymphoid and lymphoid cells in acute, chronic and relapsing experimental colitis	226	<b>Vol 99 No 3 March 1995</b>	
M. P. LEON, G. SPICKETT, D. E. J. JONES & M. F. BASSENDINE: CD4 <sup>+</sup> T cell subsets defined by isoforms of CD45 in primary biliary cirrhosis	233	M. G. WING: The molecular basis for a polyspecific antibody	313
A. DONNET-HUGHES, E. J. SCHIFFRIN & A. C. HUGGETT: Expression of MHC antigens by intestinal epithelial cells. Effect of transforming growth factor-beta 2 (TGF- $\beta$ 2)	240	J.-M. LI, A. C. HORSFALL & R. N. MAINI: Anti-La (SS-B) but not anti-Ro <sub>52</sub> (SS-A) antibodies cross-react with laminin—a role in the pathogenesis of congenital heart block?	316
Y. AMASAKI, S. KOBAYASHI, T. TAKEDA, N. OGURA, S. JODO, T. NAKABAYASHI, A. TSUTSUMI, A. FUJISAKU & T. KOIKE: Up-regulated expression of Fas antigen (CD95) by peripheral naive and memory T cell subsets in patients with systemic lupus erythematosus (SLE): a possible mechanism for lymphopenia	245	H. BECKER, G. STENGL, M. STEIN & K. FEDERLIN: Analysis of proteins that interact with the IL-2 regulatory region in patients with rheumatic diseases	325
T. SUZUKI, N. SUZUKI, E. G. ENGLEMAN, Y. MIZUSHIMA & T. SAKANE: Low serum levels of dehydroepiandrosterone may cause deficient IL-2 production by lymphocytes in patients with systemic lupus erythematosus (SLE)	251	P. H. HART, M. J. AHERN, M. D. SMITH & J. J. FINLAY-JONES: Regulatory effects of IL-13 on synovial fluid macrophages and blood monocytes from patients with inflammatory arthritis	331
		K. TAKEUCHI, K. KATSUMATA, H. IKEDA, M. MINAMI, A. WAKISAKA & T. YOSHIKI: Expression of endogenous retroviruses, ERV3 and $\lambda$ 4-1, in synovial tissues from patients with rheumatoid arthritis	338
		T. ORIGUCHI, K. EGUCHI, Y. KAWABE, A. MIZOKAMI, H. IDA & S. NAGATAKI: Synovial cells are potent antigen-presenting cells for superantigen, staphylococcal enterotoxin B (SEB)	345

H. SUSTACKOVA, C. A. CHAMBERS, N. HOZUMI, R. A. KANDEL, P. A. QUINN & T. F. CRUZ: Effect of <i>Mycoplasma arthritidis</i> superantigen on enzymatically induced arthritis in mice	352	E. J. FERON, V. L. CALDER & S. L. LIGHTMAN: Oligoclonal activation of CD4 <sup>+</sup> T lymphocytes in posterior uveitis	412
C. VINGSBO, R. JONSSON & R. HOLMDAHL: Avridine-induced arthritis in rats; a T cell-dependent chronic disease influenced both by MHC genes and by non-MHC genes	359	E. FENOUILLET, N. BLANES, A. BENJOUAD & J. C. GLUCKMAN: Anti-V3 antibody reactivity correlates with clinical stage of HIV-1 infection and with serum neutralizing activity	419
S. GUTIERREZ, I. PALACIOS, J. EGIDO, P. ZARCO, R. MIGUELEZ, E. GONZÁLEZ & G. HERRERO-BEAUMONT: IL-1 $\beta$ and IL-6 stimulate the production of platelet-activating factor (PAF) by cultured rabbit synovial cells	364	M. DESHAW & L.-A. PIROFSKI: Antibodies to the <i>Cryptococcus neoformans</i> capsular glucuronoxylomanan are ubiquitous in serum from HIV <sup>+</sup> and HIV <sup>-</sup> individuals	425
A. M. JACKSON, A. B. ALEXANDROFF, R. W. KELLY, A. SKIBINSKA, K. ESUVARANATHAN, S. PRESCOTT, G. D. CHISHOLM & K. JAMES: Changes in urinary cytokines and soluble intercellular adhesion molecule-1 (ICAM-1) in bladder cancer patients after Bacillus Calmette-Guérin (BCG) immunotherapy	369	R. RIGANÒ, E. PROFUMO, G. DI FELICE, E. ORTONA, A. TEGGI & A. SIRACUSANO: <i>In vitro</i> production of cytokines by peripheral blood mononuclear cells from hydatid patients	433
J. BOHN, B. NIEMANN, D. ROGGENBUCK, W. DÖCKE & S. JAHN: Tumour cell binding by a human monoclonal IgM antibody from the spleen of a non-tumour-associated patient is due to somatic mutations in the V <sub>H</sub> gene	376	K. ELASED, J. B. DE SOUZA & J. H. L. PLAYFAIR: Blood-stage malaria infection in diabetic mice	440
K. YAMAZAKI, T. NAKAJIMA & K. HARA: Immunohistological analysis of T cell functional subsets in chronic inflammatory periodontal disease	384	A. M. ELHASSAN, A. GAFAFAR & T. G. THEANDER: Antigen-presenting cells in human cutaneous leishmaniasis due to <i>Leishmania major</i>	445
A. HASAN, A. CHILDSTONE, K. PERVIN, T. SHINNICK, Y. MIZUSHIMA, R. VAN DER ZEE, R. VAUGHAN & T. LEHNER: Recognition of a unique peptide epitope of the mycobacterial and human heat shock protein 65-60 antigen by T cells of patients with recurrent oral ulcers	392	Y. UTSUNOMIYA, M. OGURA, T. KAWAMURA, T. MITARAI, N. MARUYAMA & O. SAKAI: Attenuation of immune complex nephritis in NZB/W F <sub>1</sub> mice by a prostacyclin analogue	454
M. E. BACA-ESTRADA, D. K. H. WONG & K. CROITORU: Cytotoxic activity of V $\beta$ 8 <sup>+</sup> T cells in Crohn's disease: the role of bacterial superantigens	398	L. SEKUT, B. R. CHAMPION, K. PAGE, J. A. MENIUS JR & K. M. CONNOLLY: Anti-inflammatory activity of salmeterol: down-regulation of cytokine production	461
M. I. HAMILTON, N. J. BRADLEY, S. K. S. SRAI, C. THRASIVOULOU, R. E. POUNDER & A. J. WAKEFIELD: Autoimmunity in ulcerative colitis: tropomyosin is not the major antigenic determinant of the Das monoclonal antibody, 7E12H12	404	R. V. BUNDICK, R. I. CRAGGS & E. HOLNESS: The effect of cyclosporin A, FK506, and rapamycin on the murine chronic graft-versus-host response—an <i>in vivo</i> model of Th2-like activity	467
		C. T. M. VAN DER POWW-KRAAN, H. J. A. M. RENSINK, R. RAPPUOLI & L. A. AARDEN: Co-stimulation of T cells via CD28 inhibits human IgE production; reversal by Pertussis toxin	473
		K. SUZUKI: Activated CD4 <sup>+</sup> T cells preferentially take up lipid microspheres, but resting cells do not	479
		B. BASLUND, M. SEGELMARK, A. WIK, W. SZPIRT, J. PETERSEN & J. WIESLANDER: Screening for anti-neutrophil cytoplasmic antibodies (ANCA): is indirect immunofluorescence the method of choice?	486